RECLANIATION Managing Water in the West

Dam Safety Program

Managing Risk to Support the Core Mission





U.S. Department of the Interior Bureau of Reclamation

Brian Becker, P.E. Chief, Dam Safety Office

Dam Safety Related Legislation

- National Dam Inspection Act (1972)
- Reclamation Safety of Dam Act (1978)
- Reclamation Safety of Dams Act Amendment (1984)
- National Dam Safety Program Act
- Dam Safety and Security Act of 2002
- Reclamation Safety of Dams Act Amendment (2004)

Reclamation Safety of Dams Act of 1978

"In order to preserve the structural safety of Bureau of Reclamation dams and related facilities, the Secretary of the Interior is authorized to perform such modifications as he determines to be reasonably required."

Safety of Dams Act of 1978

- Authorizes modification of Reclamation dams "the cause of which results from new hydrologic or seismic data or changes in the state of the art criteria...deemed necessary for safety purposes"
- Does not address conditions "resulting from age and normal deterioration or from nonperformance of reasonable maintenance"
- 82 dams repaired to date under Safety of Dams Act

Safety of Dams

- New hydrologic data
- New seismic data
- Change in the State-of-the-art

• 0&M

- Normal deterioration
- Lack of maintenance
- Ensure reliable operation
- Personnel and public safety

Missions

Reclamation's Mission

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American Public. Reclamation is responsible for reliably delivering water and power to its stakeholders.

Dam Safety's Mission

The mission of Reclamation's Dam Safety Program is "To ensure that Reclamation facilities do not present unreasonable risks to the public, public safety, property, and/or the environment."


Bureau of Reclamation

Inventoried dams and dikes

High and Significant-hazard Low-hazard TOTAL	370
	<u>106</u>
	476

Bureau of Reclamation


Original Construction Dates




Dam Safety Program


- SEED Safety Evaluation of Existing Structures (Risk identification and evaluation)
- ISCA Initiate SOD Corrective Action (Risk reduction)
- DOI Commissioner's responsibilities under Part 753 of the Departmental Manual

Dam Safety Program – Overall Process



Dam Safety Program – Safety Evaluation of Existing Dams (SEED) Process





SOD Modification Report Process

- Certification
- Commissioner's Briefing
- OMB Review
- 30 days in Congress
 - Alternatives
 - No action
 - Not acceptable
 - Operational
 - Deactivation
 - Modification
 - Combination

Risk

Annualized failure probability

P (failure) = P (load) x P (response)

Annualized loss of life

Risk = P (load) x P (response) x Consequences

P (load)

- Floods
- Earthquake
- Static

P (response)

- Failure
- Non-failure

Consequences

- Loss of Life
- Economic
- Environment
- Cultural

Risk Informed Decision Making

 Decisions are made using the actual risk estimate and the case made to justify the risk estimate


 This information is used to "make the case" to an internal technical advisory panel and to the decision makers

 Every decision is documented and signed by all Decision Makers

Risk Management

 Explicit use of risk assessment to inform decision making and to prioritize activities for more than 15 years.

Decisions Related to Dam Safety Issues








Types of Risk Exposure

Seepage, piping, internal erosion

- Teton Dam failed June 1976
- 11 killed, ½ billion dollars in property damage





Types of Risk Exposure State-of-the-Art Changes

Spillway Uplift Forces



Types of Risk Exposure

Flooding, overtopping, downstream inundation

- Frequency analysis, paleo flood data
- Impacts of climate change



Types of Risk Exposure

Earthquake imposed shaking, loading

- Deformation
- Cracking
- Foundation liquefaction

Safety of Dams Modifications

Ongoing

- Folsom Safety of Dams/Joint Federal Project
- Glendo Dam, Wyoming (hydrologic overtopping)
- Guernsey Dam, Wyoming (hydrologic overtopping)
- Echo Dam, Utah (seismic)
- A.R. Bowman, Oregon (hydrologic overtopping)
- Red Willow Dam, Nebraska (static)

Planned

- B.F. Sisk Dam, California (seismic)
- Stampede Dam, California
- Boca Dam, California
- Terminal Dam, California

Safety of Dams Modifications Authorization Ceiling

- Reclamation Safety of Dams Act Amendment (2004)
 - Additional \$540 Million
 - Indexed for inflation as of November 2004
 - Authority projected to 2016
 - Large projects may trigger reauthorization before 2017